

64210ULT

ULTRA LIFE | Halogen headlight lamps for cars



Areas of application

- Headlight
- Ideal for use in clear-glass headlights

Product benefits

- An ideal daytime running lamp due to long life span
- Up to triple the lifetime (compared to standard halogen lamps)
- 3 year guarantee (on halogen headlight lamps)

Product features

- Modern design with a silver cap (H4/H7)

Product datasheet

Technical data

Electrical data

Power input	58 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1500 lm
Luminous flux tolerance	±10 %

Dimensions & weight

Length	59.0 mm
Diameter	12.0 mm
Product weight	12.63 g

Lifespan

Lifespan B3	1000 h
Lifespan Tc	1500 h

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Certificates & standards

ECE category	H7
--------------	----


Country specific categorizations

Order reference	64210ULT
-----------------	----------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321416261	OSRA64210ULT	-	-	-

Product datasheet



Others graphics

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321416261	64210ULT	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm ³	15.50 g
4008321416278	64210ULT	Bundle 10	170 mm x 64 mm x 174 mm	1.89 dm ³	155.00 g
4008321416285	64210ULT	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1727.00 g
4052899436534	64210ULT	Blister 1	135 mm x 95 mm x 35 mm	0.45 dm ³	24.09 g
4052899436541	64210ULT	Shipping carton box 10	279 mm x 115 mm x 145 mm	4.65 dm ³	436.00 g
4052899436558	64210ULT	Hard Cover Box 2	114 mm x 49 mm x 106 mm	0.58 dm ³	209.26 g
4052899436565	64210ULT	Shipping carton box 20	260 mm x 242 mm x 122 mm	7.68 dm ³	1323.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.