

LEDguardian SL101

LEDguardian SAVER LIGHT PLUS | LED torch with safety features



Areas of application

- For travel and camping
- Inspection and maintenance of vehicles
- Safety light in the car

Product benefits

- Easy to grip and dirt resistant surface
- 2 year guarantee


Product features

- LED luminaire with safety features
- Emergency hammer
- Seat belt knife
- Equipped with 12 high-quality, long-lasting LEDs
- 12 flashing amber LEDs in handle as warning light
- Color temperature: up to 6,500 K
- Luminous flux: up to 105 lm
- Available color version: orange LEDs, red LEDs

Product datasheet

Technical data

Dimensions & weight



| | |
|---------------|----------|
| Length | 180.0 mm |
|---------------|----------|

Product datasheet

Equipment / Accessories

- Holder included for mounting in car
 - Three magnets included for attachment to metal surfaces
 - Two AA batteries required (not included)
-

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4052899132344 | LEDguardian SL101 | Blister 1 | 245 mm x 135 mm x 68 mm | 2.25 dm ³ | 212.00 g |
| 4052899132351 | LEDguardian SL101 | Shipping carton box 6 | 215 mm x 166 mm x 259 mm | 9.24 dm ³ | 1434.00 g |
| 4052899132368 | LEDguardian SL101 | Shipping carton box 36 | - x - x - | | |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

- ▶ www.osram.com/am-guarantee
-

Legal advice

Not approved as warning light according to German Road Traffic Licencing Regulations (StVZO).

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
