

# PRODUCT DATASHEET

## ENDURA STYLE Lantern Modern 12 W DG

**ENDURA STYLE LANTERN MODERN | Contemporary lanterns with light guide for low-glare illumination**



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

---

### PRODUCT FEATURES

- Very bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available as wall and bollard luminaires



**TECHNICAL DATA**


Electrical data

<b>Operating mode</b>	Mains voltage
<b>Nominal wattage</b>	11.50 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	610 lm
<b>Luminous efficacy</b>	53 lm/W

Dimensions & weight



<b>Length</b>	176.0 mm
<b>Width</b>	110.0 mm
<b>Height</b>	240.0 mm
<b>Product weight</b>	1300.00 g

Colors & materials

<b>Body material</b>	Aluminum
<b>Housing color</b>	Dark gray
<b>Product color</b>	Dark gray
<b>Cover material</b>	Polycarbonate (PC)

Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...40 °C
----------------------------------	-------------

## Lifespan

<b>Lifespan</b>	30000 h
-----------------	---------

## Additional product data

<b>Mounting location</b>	Wall
--------------------------	------

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Terminal

## Certificates &amp; standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP44

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075033276	ENDURA STYLE Lantern Modern 12 W DG	Shipping carton box 4	425 mm x 285 mm x 315 mm	38.15 dm <sup>3</sup>	6712.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## REFERENCES / LINKS

For Guarantee see

- ▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.