

# PRODUCT DATASHEET

## ENDURA STYLE Mini Spot 8 W DG

ENDURA STYLE MINI SPOT | Wall luminaires with rotatable head



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Entrance lighting
- Patios, balconies

---

### PRODUCT BENEFITS

- 5 years guarantee
- Easy and quick installation
- Energy-efficient thanks to LED technology

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in two housing colors
- Adjustable modules: rotation angle 340°



## TECHNICAL DATA


### Electrical data

<b>Operating mode</b>	Mains voltage
<b>Nominal wattage</b>	7.50 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

### Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	320 lm
<b>Luminous efficacy</b>	43 lm/W

### Dimensions & weight



<b>Length</b>	100.0 mm
<b>Width</b>	110.0 mm
<b>Height</b>	54.0 mm
<b>Product weight</b>	390.00 g

### Colors & materials

<b>Body material</b>	Aluminum
<b>Housing color</b>	Dark gray
<b>Product color</b>	Dark gray
<b>Cover material</b>	Polymethylmethacrylate (PMMA)

### Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...40 °C
----------------------------------	-------------

## Lifespan

<b>Lifespan</b>	30000 h
-----------------	---------

## Additional product data

<b>Mounting location</b>	Wall
--------------------------	------

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Terminal

## Certificates &amp; standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP44
<b>Standards</b>	CE

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075031531	ENDURA STYLE Mini Spot 8 W DG	Shipping carton box 6	260 mm x 155 mm x 225 mm	9.07 dm <sup>3</sup>	3278.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## REFERENCES / LINKS

For Guarantee see

- ▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.