

# PRODUCT DATASHEET

## ENDURA STYLE Cylinder Wall Sensor 6 W ST

ENDURA STYLE CYLINDER | Stainless steel wall-luminaires and bollards with indirect illumination



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Housing made of Polycarbonate covered with stainless steel
- Available as wall, ceiling and bollard luminaires



## TECHNICAL DATA


### Electrical data

<b>Operating mode</b>	Mains voltage
<b>Nominal wattage</b>	6.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

### Photometrical data

<b>Color temperature</b>	3000 K
<b>Color rendering index Ra</b>	>80
<b>Light color (designation)</b>	Warm White
<b>Luminous flux</b>	360 lm
<b>Luminous efficacy</b>	60 lm/W

### Dimensions & weight



<b>Length</b>	150.0 mm
<b>Width</b>	102.0 mm
<b>Height</b>	135.0 mm
<b>Product weight</b>	500.00 g

### Colors & materials

<b>Body material</b>	Stainless steel
<b>Housing color</b>	Steel
<b>Product color</b>	Steel
<b>Cover material</b>	Polycarbonate (PC)

### Temperatures & operating conditions

<b>Ambient temperature range</b>	-20...40 °C
----------------------------------	-------------

## Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Terminal

## Certificates &amp; standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP44

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075032569	ENDURA STYLE Cylinder Wall Sensor 6 W ST	Shipping carton box 6	380 mm x 175 mm x 320 mm	21.28 dm <sup>3</sup>	4411.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## REFERENCES / LINKS

For Guarantee see

- ▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.