

# PRODUCT DATASHEET

## ENDURA STYLE Cylinder 80 CM 6 W ST

ENDURA STYLE CYLINDER | Stainless steel wall-luminaires and bollards with indirect illumination



---

### AREAS OF APPLICATION

- Outdoor
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Housing made of Polycarbonate covered with stainless steel
- Available as wall, ceiling and bollard luminaires



## TECHNICAL DATA

### Electrical data

Nominal wattage	6.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	360 lm
Luminous efficacy	60 lm/W

### Dimensions & weight



Diameter	102.0 mm
Height	800.0 mm
Product weight	1500.00 g

### Colors & materials

Body material	Stainless steel
Housing color	Steel
Product color	Steel
Cover material	Polycarbonate (PC)

### Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

### Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Ground

### Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Terminal

### Certificates & standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP44

### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

### LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075032606	ENDURA STYLE Cylinder 80 CM 6 W ST	Shipping carton box 2	835 mm x 175 mm x 320 mm	46.76 dm <sup>3</sup>	3795.00 g

- The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### REFERENCES / LINKS

For Guarantee see

- ▶ [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.