

PRODUCT DATASHEET


SPC.T CL 25 W 230 V E14

SPECIAL T/FRIDGE | Incandescent lamps, tubular shape, for fridge lighting



AREAS OF APPLICATION

- Domestic refrigerators
- Sewing machines



TECHNICAL DATA

Electrical data

Nominal wattage	25.00 W
Nominal voltage	230 V
Rated wattage	25.00 W
Power factor λ	1.00


Photometrical data

Luminous flux	160 lm
Nominal luminous flux	160 lm
Rated luminous flux	160 lm
Rated color temperature	2700 K
Color temperature	2700 K
Color rendering index Ra	100
Color rendering index Ra	100

Light technical data

Starting time	0.0 s
Warm-up time (60 %)	0.00 s

— Dimensions & weight



Diameter	26.0 mm
Length	55.0 mm
Overall length	55.0 mm
Outer bulb	T26
Light center length (LCL)	45.0 mm
Length with base excl. base pins/connection	57.00 mm

Lifespan

Nominal lamp life time	1000 h
Rated lamp life time	1000 h

Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes

Capabilities

Dimmable	Yes
----------	-----

Certificates & standards

Energy efficiency class	E
Energy consumption	25 kWh/1000h

Country-specific categorizations

ILCOS	IBT/C-25-230-E14-26
-------	---------------------

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300309637	Folding carton box 1	61 mm x 27 mm x 27 mm	12.00 g	0.04 dm ³
4050300819822	Bundle 10	73 mm x 61 mm x 117 mm	120.00 g	0.52 dm ³
4050300976716	Shipping carton box 100	285 mm x 140 mm x 150 mm	1301.00 g	5.99 dm ³
4050300774664	Blister 2	62 mm x 4 mm x 31 mm	34.00 g	0.01 dm ³
4050300774671	Shipping carton box 20	286 mm x 141 mm x 149 mm	458.00 g	6.01 dm ³
7039210610832	Folding carton box 2	46 mm x 27 mm x 60 mm	18.20 g	0.07 dm ³
4058075308107	Shipping carton box 20	142 mm x 99 mm x 69 mm	231.00 g	0.97 dm ³
4058075308114	Shipping carton box 240	308 mm x 294 mm x 152 mm	2974.00 g	13.76 dm ³
7039215610837	Tray 20	136 mm x 93 mm x 34 mm	200.00 g	0.43 dm ³
7039211610831	Shipping carton box 100	310 mm x 145 mm x 110 mm	1343.00 g	4.94 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.