
7507

ORIGINAL | Lamps with metal bases



Product benefits

- Wide product range
- Reliable quality

Product features

- Original spare parts

Product datasheet

Technical data


Electrical data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Power input tolerance	±6 %
Test voltage	13.5 V

Photometrical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	52.6 mm
Diameter	25.0 mm
Product weight	8.00 g

Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	BAU15s
-----------------------------	--------

Certificates & standards

ECE category	PY21W
Approval marks – approval	E1 approval

Product datasheet

Country specific categorizations

Order reference	7507 21W 12V BA
------------------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891477	OSRA7507	-	-	-
4050300925462	OSRA7507BLI2	-	4730329	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891477	7507	Unpacked 1	30 mm x 16 mm x 18 mm	0.01 dm ³	8.00 g
4050300891484	7507	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	102.00 g
4008321091000	7507	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	560.00 g
4050300925462	7507	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	20.99 g
4008321140517	7507	Shipping carton box 20	280 mm x 104 mm x 80 mm	2.33 dm ³	271.20 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.